


SMALL-SIZE VERTICAL AIR VESSELS

unoflow



DIRECTIVE 2014/29/UE
OPERATING PRESSURE 11/16 BAR
OPERATING TEMPERATURE -10 +100°C

RAL5015 **GALVANIZED**




- MATERIAL: CARBON STEEL
- FLUID CONTENT: COMPRESSED AIR / NITROGEN (GROUP 2)
- FINISHING: EXTERNAL RAL 5015 BLUE PAINT (STANDARD) AND INTERNAL AND EXTERNAL HOT-DIP GALVANIZATION
- UPON REQUEST: 1" COUPLINGS ON HEADS

Directive	Capacity	Operating pressure	De	A	B	C	L	1	2	3	4	5	6	Weight	
RAL 5015		Lt	Bar	mm	mm	mm	mm	mm	inch	inch	inch	inch	inch	Kg	
	2014/29/UE	24	11	240	64	185	535	656	1/2"	-	1/2"	1/2"	-	3/8"	10
	2014/29/UE	50	11	305	145	297	777	929	1/2"	1/2"	-	-	1/2"	3/8"	19
	2014/29/UE	50	15	305	145	297	777	929	1/2"	1/2"	-	-	1/2"	3/8"	23
GALVANIZED		Lt	Bar	mm	mm	mm	mm	mm	inch	inch	inch	inch	inch	Kg	
	2014/29/UE	24	11	240	64	185	535	656	1"	-	1/2"	1/2"	-	3/8"	11
	2014/29/UE	50	11	305	145	297	777	929	1"	1/2"	-	-	1/2"	3/8"	20

HORIZONTAL VESSELS WITH FIXED FEET



RAL5015



CODE	Directive	Capacity	Operating pressure	De	A	B	C	D	E	H	a	b	c	x	y	j	z	Weight
RAL 5015		Lt	Bar	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	inch	inch	inch	inch	Kg
	2014/29/UE	5	11	150	370	37,5	200	140	191	120	-	-	137,5	1/2"	-	-	1/4"	6,5
	2014/29/UE	10	11	169	506	85	240	172	205	115	-	60	50	1/2"	-	3/8"	3/8"	8
	2014/29/UE	15	11	196	522	85	240	172	205	135	-	60	50	1/2"	-	3/8"	3/8"	9
	2014/29/UE	24	11	240	592	95	260	180	235	165	-	60	50	1/2"	-	3/8"	3/8"	10
	2014/29/UE	50	11	305	784	100	400	236	285	203	60	60	60	1/2"	1/2"	1/2"	3/8"	19
	2014/29/UE	24	16	240	592	95	260	180	235	165	-	60	50	1/2"	-	3/8"	3/8"	13
	2014/29/UE	50	15	305	784	100	400	249	301	203	60	60	60	1/2"	1/2"	1/2"	3/8"	23