

## SAFETY DATA SHEET

## AirPlus 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

AirPlus 15

## Product no.

7001501

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Food grade lubricant

Restricted to professional users.

## Use descriptors (UK REACH)

Sectors of use	Description
SU 17	General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 24	Lubricants, Greases and Release Products
Process category	Description
PROC 17	Lubrication at high energy conditions and in partly open PROC ess

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Unoflow AB**

Bultgatan 30

442 40 KUNGÄLV

SVERIGE

070-6688330

## Contact person

Service

## E-mail

service@unoflow.se

## Revision

08/10/2025

## SDS Version

1.0

## 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### 2.1. Classification of the substance or mixture

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.

### 2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

May be fatal if swallowed and enters airways. (H304)

Precautionary statement(s)

General

Not applicable.

Prevention

Not applicable.

Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)

Do NOT induce vomiting. (P331)

Storage

Not applicable.

Disposal

Dispose of contents/container in accordance with local regulation.

(P501)

Hazardous substances

White mineral oil (petroleum) <20.5 mm<sup>2</sup>/s

Additional labelling

### 2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the

criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
White mineral oil (petroleum) <20.5 mm <sup>2</sup> /s	CAS No.: 8042-47-5 EC No.: 232-455-8 UK-REACH: Index No.:	95-100%	Asp. Tox. 1, H304	[12], [19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[12] The classification as a carcinogen will not be taken into account as the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene

free petroleum fractions - Dimethyl sulphoxide extraction refractive index method' (CLP, Annex VI, note L).  
[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.  
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.  
If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

#### Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:  
Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:  
Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.  
Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.  
Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid direct contact with the product.  
Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage conditions

No specific requirements.

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

White mineral oil (petroleum) <20.5 mm<sup>2</sup>/s

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	93.02 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	217.05 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	220 mg/kg
Long term – Systemic effects - General population	Inhalation	34.78 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	164.56 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	160 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

#### PNEC

No data available.

### 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

## Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

## Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

## Individual protection measures, such as personal protective equipment

### Generally

Use only UKCA marked protective equipment.

### Respiratory Equipment

Type	Class	Colour	Standards

### Skin protection

Recommended	Type/Category	Standards
No special when used as intended	-	-

### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards

### Eye protection

Type	Standards
No specific requirements	-

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Transparent white

#### Odour / Odour threshold

No data available.

#### pH

No data available.

#### Density (g/cm<sup>3</sup>)

0,80-0,95 (15 °C)

#### Kinematic viscosity

<20,5 mm<sup>2</sup>/s

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

No data available.

##### Softening point/range (°C)

Does not apply to liquids.

##### Boiling point (°C)

No data available.

#### Vapour pressure

<0,01 kPa (20 °C)

#### Relative vapour density

No data available.

#### Decomposition temperature (°C)

No data available.

#### Data on fire and explosion hazards

##### Flash point (°C)

>180

##### Flammability (°C)

No data available.

##### Auto-ignition temperature (°C)

No data available.

##### Lower and upper explosion limit (% v/v)

No data available.

#### Solubility

##### Solubility in water

Insoluble

##### n-octanol/water coefficient (LogKow)

No data available.

##### Solubility in fat (g/L)

No data available.

#### 9.2. Other information

##### Oxidizing properties

No data available.

##### Other physical and chemical parameters

No data available.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

##### Acute toxicity

Product/substance	White mineral oil (petroleum) <20.5 mm2/s
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/kg

---

Product/substance	White mineral oil (petroleum) <20.5 mm2/s
-------------------	---

Test method: OECD 403  
 Species: Rat  
 Route of exposure: Inhalation  
 Test: LC50  
 Result: >5 mg/L

Product/substance White mineral oil (petroleum) <20.5 mm2/s  
 Test method: OECD 402  
 Species: Rabbit  
 Route of exposure: Dermal  
 Test: LD50  
 Result: >2000 mg/kg

Based on available data for the mixture, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data for the mixture, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data for the mixture, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data for the mixture, the classification criteria are not met.

#### Skin sensitisation

Based on available data for the mixture, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data for the mixture, the classification criteria are not met.

#### Carcinogenicity

Based on available data for the mixture, the classification criteria are not met.

#### Reproductive toxicity

Based on available data for the mixture, the classification criteria are not met.

#### STOT-single exposure

Based on available data for the mixture, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data for the mixture, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### 11.2. Information on other hazards

##### Long term effects

None known.

##### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

##### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance White mineral oil (petroleum) <20.5 mm2/s  
 Test method: OECD 203  
 Species: Leuciscus idus melantous L.  
 Compartment: Water  
 Duration: 96 hours  
 Test: NOEC  
 Result: >10000 mg/L

Product/substance White mineral oil (petroleum) <20.5 mm2/s  
 Test method: OECD 201  
 Species: Algae, Pseudokirchneriella subcapitata

Compartment: Water  
 Duration: 72 hours  
 Test: LOEC  
 Result: >100 mg/L

Product/substance White mineral oil (petroleum) <20.5 mm<sup>2</sup>/s  
 Species: Crustacean, Daphnia magna  
 Compartment: Water  
 Duration: 48 hours  
 Test: LL50  
 Result: 100 mg/L

Based on available data for the mixture, the classification criteria are not met.

## 12.2. Persistence and degradability

Product/substance White mineral oil (petroleum) <20.5 mm<sup>2</sup>/s  
 Result: >30%  
 Conclusion: Readily biodegradable  
 Test: OECD 301 F

## 12.3. Bioaccumulative potential

Based on available data for the mixture, the classification criteria are not met.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

## 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### Waste treatment methods

Product is covered by the regulations on hazardous waste.  
 HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity  
 Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### EWC code

Not applicable.

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

## 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

Restricted to professional users.

##### Demands for specific education

No specific requirements.

##### Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

Not applicable.

##### Product registration number

The product is registered H1 (2Probit #GD2929201) - Suitable for incidental food contact. Max. 10 ppm

##### Additional information

Not applicable.

##### Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H304, May be fatal if swallowed and enters airways.

#### The full text of identified uses as mentioned in section 1

SU 17 = General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 17 = Lubrication at high energy conditions and in partly open PROC ess

PC 24 = Lubricants, Greases and Release Products

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

Unoflow AB

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en